

09/003, 776

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	55	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:48
L2	43	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618" and (business with applica\$5 or component\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:38
L3	3	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618" and (business with (applica\$5 or component\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:41
L9	0	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and (business with component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:49
L10	1	(search\$4 with (index\$2 or indices)) same server same client and (business with component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:07
L11	5	(business adj component) same (search adj index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:51
L12	269	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:47
L13	1	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618" and (customer adj relation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:52
L14	2	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618" and (customer with relation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:52

L15	64	((creat\$4 or generat\$5) with search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:34
L16	35206	(spell\$4 or error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:37
L17	101	(spell\$4 with error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:37
L18	105	(spell\$4 same error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:37
L19	17	(spell\$4 same error\$4) with check and web and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:11
L20	8	"20020103876" or "20020107779" or "20020073075" or "20010051958"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:12
L21	4	"20020103876" or "20020107779" or "20020073075" or "20010051958"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:12
L22	4710	(search\$4 with client) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:47
L23	298	(search\$4 with client) same (search\$4 with (index\$2 or indices)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:48
L24	8	(search\$4 with client) same (search\$4 with (index\$2 or indices)) same (download\$4 with (index\$2 or indices)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:49

L25	0	(search\$4 with (index\$2 or indices)) same (business adj component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:12
L26	0	(search\$4 with (index\$2 or indices)) same (business adj organization\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:13
L27	0	(search\$4 with (index\$2 or indices)) same (business adj structure\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:13
L28	3	(search\$4 with (index\$2 or indices)) same (business adj enti\$4) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:19
L29	1	(search\$4 with (index\$2 or indices)) same (business with organization) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:19
S1	10	(search\$4 adj (index\$2 or indices)) same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:21
S2	3	(search\$4 adj (index\$2 or indices)) same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:22
S3	9	(search\$4 adj (index\$2 or indices)) same server same client and (search adj criteria) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:24
S4	0	(search\$4 adj (index\$2 or indices)) same server same client and (search adj criteria) and CRM and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:23

S5	215	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:32
S6	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and CRM and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:25
S7	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 adj relation\$5 adj mangement) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:26
S8	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 with relation\$5 with management) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:26
S9	4	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 same relation\$5 same management) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("searchadj(index\$2orindic\$3)"). PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2003/11/21 12:02
S2	0	("searchwith(index\$2orindic\$3)"). PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2003/11/21 12:03
S3	912	search adj (index\$2 or indices)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:10
S4	14	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/21 12:18
S5	175	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 11:10
S6	2	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/21 12:18
S7	57	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4)) and (search adj criteria) and (nodes or computers or servers or cluster or machines)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 08:16
S8	36	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4)) and (search adj criteria) and (nodes or computers or servers or cluster or machines) and (local same remote)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/21 12:21
S9	1	"6334124".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 08:17
S10	0	(search adj (index\$2 or indices)) same (download\$3 near1 ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32

S11	10	(download\$3 near1 ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32
S12	0	(search adj (index\$2 or indices)) same (download\$3 adj ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32
S13	0	(search adj (index\$2 or indices)) same (download\$3 near1 ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32
S14	0	(download\$3 near1 ((index or indice\$2) adj file)) same (search adj index)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:33
S15	52	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4)) and (index adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 11:38
S16	2	((compress\$3 or un\$compress\$3) and download\$3) with (index adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 11:40
S17	56	((compress\$3 or un\$compress\$3) and download\$3) with (index)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:06
S18	2	((compress\$3 or un\$compress\$3) and download\$3) with (index near file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:05
S19	0	((compress\$3 or un\$compress\$3) and download\$3) with (index) same search same server same client	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:35
S20	5	((compress\$3 or un\$compress\$3) and download\$3) with (index) same search	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:40
S21	2	((compress\$3 or de\$1compress or un\$1compress\$3) and download\$3) with (index near (table or file)) same search	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:50
S22	5	((compress\$3 or de\$1compress or un\$1compress\$3) and download\$3) with (index) same search	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 13:58
S23	167	707/3.ccls. and (search adj (index\$2 or indices))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:11
S24	6	707/3.ccls. and (search adj (index\$2 or indices) adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/26 18:10
S25	1	707/1.ccls. and (search adj (index\$2 or indices) adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:14

S26	0	707/200.ccls. and (search adj (index\$2 or indices) adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:14
S27	1	"6334124".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/26 18:10
S28	0	"09/883776"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/11 21:45
S29	0	"Jian-Jung Ying"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/11 21:45
S30	3	"Jian-Jung" same "Ying"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/11 21:45
S31	0	"Srirama Channavajjala"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:24
S32	0	"Srirama Cha"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:24
S33	137	"Srirama" same "Channavajjala"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:24
S34	559	form\$4 near2 (relational adj database)	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:49
S35	1	"09/863,794"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 14:04
S36	2	"20020116371" or "20020123993"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 14:04
S37	1	"09/962277"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/13 12:23
S38	1	"09/861,217"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/13 12:23